Journal of Biomedical Materials Research
Author Index—Volume 54

Abdesselam, A. See Gong, W., 320
Akagi, M. See Kawanabe, K., 400
Akiyama, H. See Ohsawa, K., 501
Alam, Md. I.
—; Asahina, I.; Ohmamiuda, K.; Enomoto, S.: Comparative study of biphasic calcium phosphate ceramics impregnated with rhBMP-2 as bone substitutes, 129
Aldenhoff, Y. B. J.
—; van der Veen, F. H.; ter Woorst, J.; Habets, J.; Poole–Warren, L. A.; Koole, L. H.: Performance of a polyurethane vascular prosthesis carrying a dipyridamole (Persantin®) coating on its lumenal surface, 224
Al-Saffar, N. See Bainbridge, J. A., 328
Amling, M. See Linhart, W., 162
Ando, J. See Kato, S., 366
Arens, S. See Mainil-Varlet, P., 335
Aronsson, B.-O.
—; Hjörvarsson, B.; Frauchiger, L.; Taborelli, M.; Vallotton, P.-H.; Descouts, P.: Hydrogen desorption from sand-blasted and acid-etched titanium surfaces after glow-discharge treatment, 20
Asahina, I. See Alam, Md. I., 129

Bačáková, L.
—; Starý, V.; Kofroňová, O.; Lisá, V.: Polishing and coating carbon fiber-reinforced carbon composites with a carbon–titanium layer enhances adhesion and growth of osteoblast-like MG63 cells and vascular smooth muscle cells *in vitro*, 567
Baek, S.-H. See Lee, Y.-M., 216
Bainbridge, J. A.
—; Revell, P. A.; Al-Saffar, N.: Costimulatory molecule expression following exposure to orthopaedic implants wear debris, 328
Balooch, M. See Marshall, G. W., Jr., 87
Becker, T. A.
—; Kipke, D. R.; Brandon, T.: Calcium alginate gel: A biocompatible and mechanically stable polymer for endovascular embolization, 76
Beebe, J. D. See DeHeer, D. H., 12
Bensebaa, F. See McMillan, R., 272
Bernoski, F. P. See Koerten, H. K., 591
Betts, F. See MacDonald, D. E., 480
Bhattacharya, S. K. See Roy, M. E., 547
Bhonde, R. R. See Risbud, M. V., 436
Blanchat, C. See Hamadouche, M., 560
Boskey, A. L. See MacDonald, D. E., 480
Brandon, T. See Becker, T. A., 76

Caldwell, K. D. See Webb, K., 509
Chang, P. L. See Van Raamsdonk, J. M., 264
Charulatha, V.
—; Rajaram, A.: Dimethyl 3,3′-dithiobispropionimidate: A novel crosslinking reagent for collagen, 122
Cheng, J. C. Y. See Guo, L., 554
Choi, J.-Y. See Lee, Y.-M., 216
Choi, S.-Y. See Oh, S.-H., 360
Choplin, L. See Pelletier, S., 102
Chu, C.-C. See Zhang, Y., 1
Chung, C.-P. See Lee, Y.-M., 216
Claase, M. B. See Papadaki, M., 47
Claes, L. E. See Schmidt, C., 209
Clarke, I. C. See Kawanabe, K., 400
Colijn, H. O. See Denry, I. L., 351
Coombes, A. See Verderio, E., 294

Dadsetan, M.
—; Mirzadeh, H.; Sharifi-Sanjani, N.; Salehian, P.: *In vitro* studies of platelet adhesion on laser-treated polyethylene terephthalate surface, 540
Darrabie, M.
—; Freeman, B. K.; Kendall, W. F., Jr.; Hobbs, H. A.; Opara, E. C.: Durability of sodium sulfate-treated polylysine-alginate microcapsules, 396
Dauskardt, R. H. See Ohashi, K. L., 419
DeHeer, D. H.
—; Engels, J. A.; DeVries, A. S.; Knapp, R. H.; Beebe, J. D.: *In situ* complement activation by polyethylene wear debris, 12
de Leij, L. F. M. H. See Khouw, I. M. S. L., 234
Dellacherie, E. See Pelletier, S., 102
del Valle, I. See Rodrigo, A. M., 30
Deng, M.
—; Shalaby, S. W.: Long-term γ irradiation effects on ultrahigh molecular weight polyethylene, 428
Denry, I. L.
—; Holloway, J. A.; Colijn, H. O.: Phase transformations in a leucite-reinforced pressable dental ceramic, 351
Descouts, P. See Aronsson, B.-O., 20
Deslandes, Y. See McMillan, R., 272
DeVries, A. S. See DeHeer, D. H., 12
Dorozhkin, S. V.
—; Is there a chemical interaction between calcium phosphates and hydroxypropylmethylcellulose (HPMC) in organic/inorganic composites? 247
Doty, S. See MacDonald, D. E., 480
Downes, S. See Verderio, E., 294
Ducheyne, P. See Lu, H. H., 454

Endo, K. See Kataoka, K., 373
Engels, J. A. See DeHeer, D. H., 12
Enomoto, S. See Alam, Md. I., 129
Epple, M. See Linhart, W., 162
Escudero, M. L. See Rodrigo, A. M., 30

Feng, H. See Zhang, C., 407
Fernández, L. See Rodrigo, A. M., 30
Franceschi, R. See Ma, P. X., 284

Journal of Biomedical Materials Research
Author Index—Volume 54

Abdesselam, A. See Gong, W., 320
Akagi, M. See Kawanabe, K., 400
Akiyama, H. See Ohsawa, K., 501
Alam, Md. I.
—; Asahina, I.; Ohmamiuda, K.; Enomoto, S.: Comparative study of biphasic calcium phosphate ceramics impregnated with rhBMP-2 as bone substitutes, 129
Aldenhoff, Y. B. J.
—; van der Veen, F. H.; ter Woorst, J.; Habets, J.; Poole–Warren, L. A.; Koole, L. H.: Performance of a polyurethane vascular prosthesis carrying a dipyridamole (Persantin®) coating on its lumenal surface, 224
Al-Saffar, N. See Bainbridge, J. A., 328
Amling, M. See Linhart, W., 162
Ando, J. See Kato, S., 366
Arens, S. See Mainil-Varlet, P., 335
Aronsson, B.-O.
—; Hjörvarsson, B.; Frauchiger, L.; Taborelli, M.; Vallotton, P.-H.; Descouts, P.: Hydrogen desorption from sand-blasted and acid-etched titanium surfaces after glow-discharge treatment, 20
Asahina, I. See Alam, Md. I., 129

Bačáková, L.
—; Starý, V.; Kofroňová, O.; Lisá, V.: Polishing and coating carbon fiber-reinforced carbon composites with a carbon–titanium layer enhances adhesion and growth of osteoblast-like MG63 cells and vascular smooth muscle cells *in vitro*, 567
Baek, S.-H. See Lee, Y.-M., 216
Bainbridge, J. A.
—; Revell, P. A.; Al-Saffar, N.: Costimulatory molecule expression following exposure to orthopaedic implants wear debris, 328
Balooch, M. See Marshall, G. W., Jr., 87
Becker, T. A.
—; Kipke, D. R.; Brandon, T.: Calcium alginate gel: A biocompatible and mechanically stable polymer for endovascular embolization, 76
Beebe, J. D. See DeHeer, D. H., 12
Bensebaa, F. See McMillan, R., 272
Bernoski, F. P. See Koerten, H. K., 591
Betts, F. See MacDonald, D. E., 480
Bhattacharya, S. K. See Roy, M. E., 547
Bhonde, R. R. See Risbud, M. V., 436
Blanchat, C. See Hamadouche, M., 560
Boskey, A. L. See MacDonald, D. E., 480
Brandon, T. See Becker, T. A., 76

Caldwell, K. D. See Webb, K., 509
Chang, P. L. See Van Raamsdonk, J. M., 264
Charulatha, V.
—; Rajaram, A.: Dimethyl 3,3′-dithiobispropionimidate: A novel crosslinking reagent for collagen, 122
Cheng, J. C. Y. See Guo, L., 554
Choi, J.-Y. See Lee, Y.-M., 216
Choi, S.-Y. See Oh, S.-H., 360
Choplin, L. See Pelletier, S., 102
Chu, C.-C. See Zhang, Y., 1
Chung, C.-P. See Lee, Y.-M., 216
Claase, M. B. See Papadaki, M., 47
Claes, L. E. See Schmidt, C., 209
Clarke, I. C. See Kawanabe, K., 400
Colijn, H. O. See Denry, I. L., 351
Coombes, A. See Verderio, E., 294

Dadsetan, M.
—; Mirzadeh, H.; Sharifi-Sanjani, N.; Salehian, P.: *In vitro* studies of platelet adhesion on laser-treated polyethylene terephthalate surface, 540
Darrabie, M.
—; Freeman, B. K.; Kendall, W. F., Jr.; Hobbs, H. A.; Opara, E. C.: Durability of sodium sulfate-treated polylysine-alginate microcapsules, 396
Dauskardt, R. H. See Ohashi, K. L., 419
DeHeer, D. H.
—; Engels, J. A.; DeVries, A. S.; Knapp, R. H.; Beebe, J. D.: *In situ* complement activation by polyethylene wear debris, 12
de Leij, L. F. M. H. See Khouw, I. M. S. L., 234
Dellacherie, E. See Pelletier, S., 102
del Valle, I. See Rodrigo, A. M., 30
Deng, M.
—; Shalaby, S. W.: Long-term γ irradiation effects on ultrahigh molecular weight polyethylene, 428
Denry, I. L.
—; Holloway, J. A.; Colijn, H. O.: Phase transformations in a leucite-reinforced pressable dental ceramic, 351
Descouts, P. See Aronsson, B.-O., 20
Deslandes, Y. See McMillan, R., 272
DeVries, A. S. See DeHeer, D. H., 12
Dorozhkin, S. V.
—; Is there a chemical interaction between calcium phosphates and hydroxypropylmethylcellulose (HPMC) in organic/inorganic composites? 247
Doty, S. See MacDonald, D. E., 480
Downes, S. See Verderio, E., 294
Ducheyne, P. See Lu, H. H., 454

Endo, K. See Kataoka, K., 373
Engels, J. A. See DeHeer, D. H., 12
Enomoto, S. See Alam, Md. I., 129
Epple, M. See Linhart, W., 162
Escudero, M. L. See Rodrigo, A. M., 30

Feng, H. See Zhang, C., 407
Fernández, L. See Rodrigo, A. M., 30
Franceschi, R. See Ma, P. X., 284

Frauchiger, L. See Aronsson, B.-O., 20
Freeman, B. K. See Darrabie, M., 396
Fu, T. See Han, Y., 96
Fujisato, T. See Yamaoka, T., 470
Fujishiro, Y.
—; Takahashi, K.; Sato, T.: Preparation and compressive strength of α-tricalcium phosphate/gelatin gel composite cement, 525
Furukawa, T. See Kato, H., 619

Gallagher, R. R. See Marshall, G. W., Jr., 87
Gansky, S. A. See Marshall, G. W., Jr., 87
Gerritsen, M.
—; Jansen, J. A.; Kros, A.; Vriezema, D. M.; Sommerdijk, N. A. J. M.; Nolte, R. J. M.; Lutterman, J. A.; Van Hövell, S. W. F. M.; Van der Gaag, A.: Influence of inflammatory cells and serum on the performance of implantable glucose sensors, 69
Glushko, V. See Zyman, Z., 256
Gómez-García, L. See Rodrigo, A. M., 30
Gong, W.
—; Abdesselam, A.; Lutze, W.: Porous bioactive glass and glass–ceramics made by reaction sintering under pressure, 320
Good, V. D. See Kawanabe, K., 400
Greenspan, D. C. See Hamadouche, M., 560
Griffin, M. See Verderio, E., 294
Grijpma, D. W. See Papadaki, M., 47
Grinstaff, M. W. See Smeds, K. A., 115
Gronowicz, G. See Sofia, S., 139
Guo, L.
—; Guo, X.; Leng, Y.; Cheng, J. C. Y.; Zhang, X.: Nanoindentation study of interfaces between calcium phosphate and bone in an animal spinal fusion model, 554
Guo, X. See Guo, L., 554
Gupta, P. See Papadaki, M., 47

Habets, J. See Aldenhoff, Y. B. J., 224
Hamadouche, M.
—; Meunier, A.; Greenspan, D. C.; Blanchat, C.; Zhong, J. P.; La Torre, G. P.; Sedel, L.: Long-term *in vivo* bioactivity and degradability of bulk sol-gel bioactive glasses, 560
Han, S.-B. See Lee, Y.-M., 216
Han, Y.
—; Fu, T.; Lu, J.; Xu, K.: Characterization and stability of hydroxyapatite coatings prepared by an electrodeposition and alkaline-treatment process, 96
Hauke, C. See Mainil-Varlet, P., 335
Hayakawa, S. See Wang, X.-X., 172
Heath, D. See Verderio, E., 294
Heinemann, D. E. H. See Wiese, K. G., 179
Hench, L. L. See Saravanapavan, P., 608
Heo, S.-J. See Lee, Y.-M., 216
Higashiyama, S. See Kawase, M., 519
Hjörvarsson, B. See Aronsson, B.-O., 20
Hobbs, H. A. See Darrabie, M., 396
Holloway, J. A. See Denry, I. L., 351
Hsu, S. W. See Yen, S. K., 412
Hubert, P. See Pelletier, S., 102
Hunag, T.-H.
—; Lii, C.-K.; Kao, C.-T.: Root canal sealers cause cytotoxicity and oxidative damage in hepatocytes, 390
Hyon, S.-H. See Peng, C., 241

Ichinose, S. See Itoh, S., 445
Ide, C. See Kataoka, K., 373
Ignatius, A. A. See Schmidt, C., 209
Inoue, H. See Lopes, M. A., 463
Ishikawa, K. See Yuasa, T., 344
—; See Miyamoto, Y., 311
Ito, H. See Ohsawa, K., 501
Itoh, S.
—; Kikuchi, M.; Takakuda, K.; Koyama, Y.; Matsumoto, H. N.; Ichinose, S.; Tanaka, J.; Kawauchi, T.; Shinomiya, K.: The biocompatibility and osteoconductive activity of a novel hydroxyapatite/collagen composite biomaterial, and its function as a carrier of rhBMP-2, 445
Ivanov, I. See Zyman, Z., 256

Jansen, J. A. See Gerritsen, M., 69
Jérôme, R. See Mainil-Varlet, P., 335
Jokinen, M. See Peltola, T., 579
Jones, R. A. See Verderio, E., 294

Kaneko, S. See Lopes, M. A., 463
Kao, C.-T. See Hunag, T.-H., 390
Kaplan, D. L. See Sofia, S., 139
Kataoka, K.
—; Suzuki, Y.; Kitada, M.; Ohnishi, K.; Suzuki, K.; Tanihara, M.; Ide, C.; Endo, K.; Nishimura, Y.: Alginate, a bioresorbable material derived from brown seaweed, enhances elongation of amputated axons of spinal cord in infant rats, 373
Kato, H.
—; Nishiguchi, S.; Furukawa, T.; Neo, M.; Kawanabe, K.; Saito, K.; Nakamura, T.: Bone bonding in sintered hydroxyapatite combined with a new synthesized agent, TAK-778, 619
—; See Nishiguchi, S., 198
Kato, S.
—; Ando, J.; Matsuda, T.: mRNA expression on shape-engineered endothelial cells: Adhesion molecules ICAM-1 and VCAM-1, 366
Kawanabe, K.
—; Clarke, I. C.; Tamura, J.; Akagi, M.; Good, V. D.; Williams, P. A.; Yamamoto, K.: Effects of A–P translation and rotation on the wear of UHMWPE in a total knee joint simulator, 400
—; See Kato, H., 619
Kawase, M.
—; Shiomi, T.; Matsui, H.; Ouji, Y.; Higashiyama, S.; Tsutsui, T.; Yagi, K.: Suppression of apoptosis in hepatocytes by fructose-modified dendrimers, 519
Kawauchi, T. See Itoh, S., 445
Kendall, W. F., Jr. See Darrabie, M., 396
Khor, E. See Yusof, N. L. B. M., 59
Khouw, I. M. S. L.
—; van Wachem, P. B.; Plantinga, J. A.; de Leij, L. F. M. H.; van Luyn, M. J. A.: Enzyme and cytokine effects on the impaired onset of the murine foreign-body reaction to dermal sheep collagen, 234
Kijko, S. See Zyman, Z., 256
Kikuchi, A. See Kushida, A., 37
Kikuchi, M. See Itoh, S., 445
Kim, H.-M. See Nishiguchi, S., 198
Kim, K.-N. See Oh, S.-H., 360
Kim, S. See Lee, Y.-M., 216
Kimura, Y. See Yamaoka, T., 470
Kipke, D. R. See Becker, T. A., 76
Kirkpatrick, C. J. See van Kooten, T. G., 385
Kitada, M. See Kataoka, K., 373
Kitagawa, M. See Tomihata, K., 531
Kitamura, Y. See Shinzato, S., 491

Kiyotani, T. See Sekine, T., 305
Klein, C. L. See van Kooten, T. G., 385
Klokkevold, P. R. See Lee, Y.-M., 216
Knapp, R. H. See DeHeer, D. H., 12
Koerten, E. W. A. See Koerten, H. K., 591
Koerten, H. K.
—; Onderwater, J. J. M.; Koerten, E. W. A.; Bernoski, F. P.; Nelissen, R. G. H. H.: Observations at the articular surface of hip prostheses: An analytical electron microscopy study on wear and corrosion, 591
Kofroňová, O. See Bačáková, L., 567
Kokubo, T. See Nishiguchi, S., 198
—; See Shinzato, S., 491
Koole, L. H. See Aldenhoff, Y. B. J., 224
Koyama, Y. See Itoh, S., 445
Kros, A. See Gerritsen, M., 69
Kushida, A.
—; Yamato, M.; Kikuchi, A.; Okano, T.: Two-dimensional manipulation of differentiated Madin–Darby canine kidney (MDCK) cell sheets: The noninvasive harvest from temperature-responsive culture dishes and transfer to other surfaces, 37

Labow, R. S.
—; Meek, E.; Santerre, J. P.: Model systems to assess the destructive potential of human neutrophils and monocyte-derived macrophages during the acute and chronic phases of inflammation, 189
Langer, R. See Papadaki, M., 47
Langlet, M. See Viitala, R., 109
La Torre, G. P. See Hamadouche, M., 560
Lee, C. W. See Yamaoka, T., 470
Lee, Y.-K. See Oh, S.-H., 360
Lee, Y.-M.
—; Seol, Y.-J.; Lim, Y.-T.; Kim, S.; Han, S.-B.; Rhyu, I.-C.; Baek, S.-H.; Heo, S.-J.; Choi, J.-Y.; Klokkevold, P. R.; Chung, C.-P.: Tissue-engineered growth of bone by marrow cell transplantation using porous calcium metaphosphate matrices, 216
Lehmann, W. See Linhart, W., 162
Leng, Y. See Guo, L., 554
Li, X. See Verderio, E., 294
Lii, C.-K. See Hunag, T.-H., 390
Lim, L. Y. See Yusof, N. L. B. M., 59
Lim, Y.-T. See Lee, Y.-M., 216
Lin, J. S. See Roy, M. E., 547
Linden, M. See Viitala, R., 109
Linhart, W.
—; Peters, F.; Lehmann, W.; Schwarz, K.; Schilling, A. F.; Amling, M.; Rueger, J. M.; Epple, M.: Biologically and chemically optimized composites of carbonated apatite and polyglycolide as bone substitution materials, 162
Lisá, V. See Bačáková, L., 567
Lopes, M. A.
—; Santos, J. D.; Monteiro, F. J.; Ohtsuki, C.; Osaka, A.; Kaneko, S.; Inoue, H.: Push-out testing and histological evaluation of glass reinforced hydroxyapatite composites implanted in the tibia of rabbits, 463
Lu, B. See Zhang, C., 407
Lu, H. H.
—; Pollack, S. R.; Ducheyne, P.: 45S5 Bioactive glass surface charge variations and the formation of a surface calcium phosphate layer in a solution containing fibronectin, 454
Lu, J. See Han, Y., 96
Lutterman, J. A. See Gerritsen, M., 69
Lutze, W. See Gong, W., 320

Ma, P. X.
—; Zhang, R.; Xiao, G.; Franceschi, R.: Engineering new bone tissue *in vitro* on highly porous poly(α-hydroxyl acids)/hydroxyapatite composite scaffolds, 284
MacDonald, D. E.
—; Betts, F.; Stranick, M.; Doty, S.; Boskey, A. L.: Physicochemical study of plasma-sprayed hydroxyapatite-coated implants in humans, 480
Mahmood, T. See Papadaki, M., 47
Mainil-Varlet, P.
—; Hauke, C.; Maquet, V.; Printzen, G.; Arens, S.; Schaffner, T.; Jérôme, R.; Perren, S.; Schlegel, U.: Polylactide implants and bacterial contamination: An animal study, 335
Maquet, V. See Mainil-Varlet, P., 335
Marchal, P. See Pelletier, S., 102
Marshall, G. W., Jr.
—; Balooch, M.; Gallagher, R. R.; Gansky, S. A.; Marshall, S. J.: Mechanical properties of the dentinoenamel junction: AFM studies of nanohardness, elastic modulus, and fracture, 87
Marshall, S. J. See Marshall, G. W., Jr., 87
Martínez, M. E. See Rodrigo, A. M., 30
Martínez, P. See Rodrigo, A. M., 30
Matsuda, T. See Kato, S., 366
Matsui, H. See Kawase, M., 519
Matsumoto, H. N. See Itoh, S., 445
Matsumoto, K. See Sekine, T., 305
Matsumura, K. See Peng, C., 241
Matsuoka, H. See Ohsawa, K., 501
Matsuzawa, Y. See Weikart, C. M., 597
McCarthy, M. B. See Sofia, S., 139
McMillan, R.
—; Meeks, B.; Bensebaa, F.; Deslandes, Y.; Sheardown, H.: Cell adhesion peptide modification of gold-coated polyurethanes for vascular endothelial cell adhesion, 272
Meek, E. See Labow, R. S., 189
Meeks, B. See McMillan, R., 272
Meunier, A. See Hamadouche, M., 560
Mirzadeh, H. See Dadsetan, M., 540
Miyamoto, Y.
—; Toh, T.; Ishikawa, K.; Yuasa, T.; Nagayama, M.; Suzuki, K.: Effect of added $NaHCO_3$ on the basic properties of apatite cement, 311
—; See Yuasa, T., 344
Moghe, P. V. See Ranucci, C. S., 149
Monteiro, F. J. See Lopes, M. A., 463
Munuera, L. See Rodrigo, A. M., 30
Murakami, A. See Yamaoka, T., 470

Nagayama, M. See Miyamoto, Y., 311
—; See Yuasa, T., 344
Nakajima, N. See Peng, C., 241
Nakamura, T. See Nishiguchi, S., 198
—; See Sekine, T., 305
—; See Shinzato, S., 491
—; See Ohsawa, K., 501
—; See Kato, H., 619
Nelissen, R. G. H. H. See Koerten, H. K., 591
Neo, M. See Nishiguchi, S., 198
—; See Ohsawa, K., 501
—; See Kato, H., 619
Nishiguchi, S.
—; Kato, H.; Neo, M.; Oka, M.; Kim, H.-M.; Kokubo, T.; Nakamura, T.: Alkali- and heat-treated porous titanium for orthopedic implants, 198
—; See Kato, H., 619
Nishimoto, S. K. See Roy, M. E., 547
Nishimura, Y. See Kataoka, K., 373
Nolte, R. J. M. See Gerritsen, M., 69

Oh, S.-H.
—; Choi, S.-Y.; Lee, Y.-K.; Kim, K.-N.: Research on annihilation of cancer cells by glass-ceramics for cancer treatment with external magnetic field. I. Preparation and cytotoxicity, 360
Ohashi, K. L.
—; Yerby, S. A.; Dauskardt, R. H.: Effects of an adhesion promoter on the debond resistance of a metal–polymethylmethacrylate interface, 419
Ohmamiuda, K. See Alam, Md. I., 129
Ohnishi, K. See Kataoka, K., 373
Ohsawa, K.
—; Neo, M.; Matsuoka, H.; Akiyama, H.; Ito, H.; Nakamura, T.: Tissue responses around polymethylmethacrylate particles implanted into bone: Analysis of expression of bone matrix protein mRNAs by *in situ* hybridization, 501
Ohta, T. See Yamaoka, T., 470
Ohtsuki, C. See Lopes, M. A., 463
Oka, M. See Nishiguchi, S., 198
Okano, T. See Kushida, A., 37
Onderwater, J. J. M. See Koerten, H. K., 591
Opara, E. C. See Darrabie, M., 396
Osaka, A. See Wang, X.-X., 172
—; See Lopes, M. A., 463
Ostermeier, D. See Wiese, K. G., 179
Ouji, Y. See Kawase, M., 519

Papadaki, M.
—; Mahmood, T.; Gupta, P.; Claase, M. B.; Grijpma, D. W.; Riesle, J.; van Blitterswijk, C. A.; Langer, R.: The different behaviors of skeletal muscle cells and chondrocytes on PEGT/PBT block copolymers are related to the surface properties of the substrate, 47
Payan, E. See Pelletier, S., 102
Pelletier, S.
—; Hubert, P.; Payan, E.; Marchal, P.; Choplin, L.; Dellacherie, E.: Amphiphilic derivatives of sodium alginate and hyaluronate for cartilage repair: Rheological properties, 102
Peltola, T.
—; Jokinen, M.; Veittola, S.; Simola, J.; Yli-Urpo, A.: *In vitro* bioactivity and structural features of mildly heat-treated sol-gel-derived silica fibers, 579
—; See Viitala, R., 109
Peng, C.
—; Tsutsumi, S.; Matsumura, K.; Nakajima, N.; Hyon, S.-H.: Morphologic study and syntheses of type I collagen and fibronectin of human periodontal ligament cells cultured on poly(ethylene-*co*-vinyl alcohol) (EVA) with collagen immobilization, 241
Perren, S. See Mainil-Varlet, P., 335
Peters, F. See Linhart, W., 162
Peters, J. H. See Wiese, K. G., 179
Pharr, G. M. See Roy, M. E., 547
Plantinga, J. A. See Khouw, I. M. S. L., 234
Pollack, S. R. See Lu, H. H., 454
Poole–Warren, L. A. See Aldenhoff, Y. B. J., 224
Printzen, G. See Mainil-Varlet, P., 335

Rahiala, H. See Viitala, R., 109
Rajaram, A. See Charulatha, V., 122
Ranucci, C. S.
—; Moghe, P. V.: Substrate microtopography can enhance cell adhesive and migratory responsiveness to matrix ligand density, 149
Revell, P. A. See Bainbridge, J. A., 328
Rho, J. Y. See Roy, M. E., 547
Rhyu, I.-C. See Lee, Y.-M., 216
Riesle, J. See Papadaki, M., 47
Risbud, M. V.
—; Bhonde, R. R.: Suitability of cellulose molecular dialysis membrane for bioartificial pancreas: *In vitro* biocompatibility studies, 436
Rochmistrov, D. See Zyman, Z., 256
Rodrigo, A. M.
—; Martínez, M. E.; Martínez, P.; Escudero, M. L.; Ruíz, J.; Saldaña, L.; Gómez-García, L.; Fernández, L.; del Valle, I.; Munuera, L.: Effects of MA 956 superalloy and α-alumina particles on some markers of human osteoblastic cells in primary culture, 30
Rosenholm, J. B. See Viitala, R., 109
Roy, M. E.
—; Nishimoto, S. K.; Rho, J. Y.; Bhattacharya, S. K.; Lin, J. S.; Pharr, G. M.: Correlations between osteocalcin content, degree of mineralization, and mechanical properties of *C. Carpio* rib bone, 547
Rueger, J. M. See Linhart, W., 162
Ruíz, J. See Rodrigo, A. M., 30

Saito, K. See Kato, H., 619
Saldaña, L. See Rodrigo, A. M., 30
Salehian, P. See Dadsetan, M., 540
Santerre, J. P. See Labow, R. S., 189
Santos, J. D. See Lopes, M. A., 463
Saravanapavan, P.
—; Hench, L. L.: Low-temperature synthesis, structure, and bioactivity of gel-derived glasses in the binary CaO-SiO_2 system, 608
Sato, H. See Tomihata, K., 531
Sato, T. See Fujishiro, Y., 525
Schaffner, T. See Mainil-Varlet, P., 335
Schilling, A. F. See Linhart, W., 162
Schlegel, U. See Mainil-Varlet, P., 335
Schmidt, C.
—; Ignatius, A. A.; Claes, L. E.: Proliferation and differentiation parameters of human osteoblasts on titanium and steel surfaces, 209
Schwarz, K. See Linhart, W., 162
Sedel, L. See Hamadouche, M., 560
Sekine, T.
—; Nakamura, T.; Shimizu, Y.; Ueda, H.; Matsumoto, K.; Takimoto, Y.; Kiyotani, T.: A new type of surgical adhesive made from porcine collagen and polyglutamic acid (Technical Note), 305
Seol, Y.-J. See Lee, Y.-M., 216
Shalaby, S. W. See Deng, M., 428
Sharifi-Sanjani, N. See Dadsetan, M., 540
Sheardown, H. See McMillan, R., 272
Shimizu, Y. See Sekine, T., 305
Shinomiya, K. See Itoh, S., 445
Shinzato, S.
—; Nakamura, T.; Kokubo, T.; Kitamura, Y.: A new bioactive bone cement: Effect of glass bead filler content on mechanical and biological properties, 491
Shiomi, T. See Kawase, M., 519
Simola, J. See Viitala, R., 109
—; See Peltola, T., 579
Smeds, K. A.
—; Grinstaff, M. W.: Photocrosslinkable polysaccharides for *in situ* hydrogel formation, 115
Sofia, S.
—; McCarthy, M. B.; Gronowicz, G.; Kaplan, D. L.: Functionalized silk-based biomaterials for bone formation, 139
Sommerdijk, N. A. J. M. See Gerritsen, M., 69
Song, Z. See Zhang, C., 407
Starý, V. See Bačáková, L., 567
Stranick, M. See MacDonald, D. E., 480

Suzuki, K. See Miyamoto, Y., 311
—; See Yuasa, T., 344
—; See Kataoka, K., 373
Suzuki, M. See Tomihata, K., 531
Suzuki, Y. See Kataoka, K., 373

Taborelli, M. See Aronsson, B.-O., 20
Takahashi, K. See Fujishiro, Y., 525
Takahashi, Y. See Yamaoka, T., 470
Takakuda, K. See Itoh, S., 445
Takechi, M. See Yuasa, T., 344
Takimoto, Y. See Sekine, T., 305
Tamura, J. See Kawanabe, K., 400
Tanaka, J. See Itoh, S., 445
Tanihara, M. See Kataoka, K., 373
ter Woorst, J. See Aldenhoff, Y. B. J., 224
Tkachenko, N. See Zyman, Z., 256
Toh, T. See Miyamoto, Y., 311
Tomihata, K.
—; Suzuki, M.; Sato, H.; Kitagawa, M.: Sensitizer contained in heat-decomposed dye, 531
Tresco, P. A. See Webb, K., 509
Tsuji, T. See Yamaoka, T., 470
Tsuru, K. See Wang, X.-X., 172
Tsutsui, T. See Kawase, M., 519
Tsutsumi, S. See Peng, C., 241

Ueda, H. See Sekine, T., 305

Vallotton, P.-H. See Aronsson, B.-O., 20
van Blitterswijk, C. A. See Papadaki, M., 47
Van der Gaag, A. See Gerritsen, M., 69
van der Veen, F. H. See Aldenhoff, Y. B. J., 224
Van Hövell, S. W. F. M. See Gerritsen, M., 69
van Kooten, T. G.
—; Klein, C. L.; Kirkpatrick, C. J.: Western blotting as a method for studying cell–biomaterial interactions: The role of protein collection, 385
van Luyn, M. J. A. See Khouw, I. M. S. L., 234
Van Raamsdonk, J. M.
—; Chang, P. L.: Osmotic pressure test: A simple, quantitative method to assess the mechanical stability of alginate microcapsules, 264
van Wachem, P. B. See Khouw, I. M. S. L., 234
Veittola, S. See Peltola, T., 579
Verderio, E.
—; Coombes, A.; Jones, R. A.; Li, X.; Heath, D.; Downes, S.; Griffin, M.: Role of the cross-linking enzyme tissue transglutaminase in the biological recognition of synthetic biodegradable polymers, 294
Viitala, R.
—; Simola, J.; Peltola, T.; Rahiala, H.; Linden, M.; Langlet, M.; Rosenholm, J. B.: *In vitro* bioactivity of aerosol-gel deposited TiO_2 thin coatings, 109
Vriezema, D. M. Gerritsen, M., 69

Wang, J. See Zhang, C., 407
Wang, X.-X.
—; Hayakawa, S.; Tsuru, K.; Osaka, A.: A comparative study of *in vitro* apatite deposition on heat-, H_2O_2-, and NaOH-treated titanium surfaces, 172
Webb, K.
—; Caldwell, K. D.; Tresco, P. A.: A novel surfactant-based immobilization method for varying substrate-bound fibronectin, 509
Weikart, C. M.
—; Matsuzawa, Y.; Winterton, L.; Yasuda, H. K.: Evaluation of plasma polymer-coated contact lenses by electrochemical impedance spectroscopy, 597
Wiese, K. G.
—; Heinemann, D. E. H.; Ostermeier, D.; Peters, J. H.: Biomaterial properties and biocompatibility in cell culture of a novel self-inflating hydrogel tissue expander, 179
Williams, P. A. See Kawanabe, K., 400
Winterton, L. See Weikart, C. M., 597

Xiao, G. See Ma, P. X., 284
Xu, K. See Han, Y., 96

Yagi, K. See Kawase, M., 519
Yamamoto, K. See Kawanabe, K., 400
Yamaoka, T.
—; Takahashi, Y.; Fujisato, T.; Lee, C. W.; Tsuji, T.; Ohta, T.; Murakami, A.; Kimura, Y.: Novel adhesion prevention membrane based on a bioresorbable copoly(ester-ether) comprised of poly-L-lactide and Pluronic®: *In vitro* and *in vivo* evaluations, 470
Yamato, M. See Kushida, A., 37
Yasuda, H. K. See Weikart, C. M., 597
Yen, S. K.
—; Hsu, S. W.: Electrolytic Al_2O_3 coating on Co-Cr-Mo implant alloys of hip prosthesis, 412
Yerby, S. A. See Ohashi, K. L., 419
Yli-Urpo, A. See Peltola, T., 579
Yuasa T.
—; Miyamoto, Y.; Ishikawa, K.; Takechi, M.; Nagayama, M.; Suzuki, K.: *In vitro* resorption of three apatite cements with osteoclasts, 344
—; See Miyamoto, Y., 311
Yusof, N. L. B. M.
—; Lim, L. Y.; Khor, E.: Preparation and characterization of chitin beads as a wound dressing precursor, 59

Zhang, C.
—; Wang, J.; Feng, H.; Lu, B.; Song, Z.; Zhang, X.: Replacement of segmental bone defects using porous bioceramic cylinders: A biomechanical and X-ray diffraction study, 407
Zhang, R. See Ma, P. X., 284
Zhang, X. See Zhang, C., 407
—; See Guo, L., 554
Zhang, Y.
—; Chu, C.-C.: Biodegradable dextran-polylactide hydrogel network and its controlled release of albumin, 1
Zhong, J. P. See Hamadouche, M., 560
Zyman, Z.
—; Ivanov, I.; Rochmistrov, D.; Glushko, V.; Tkachenko, N.; Kijko, S.: Sintering peculiarities for hydroxyapatite with different degrees of crystallinity, 256

Journal of Biomedical Materials Research
Subject Index—Volume 54

α-alumina, 30
Acid etching, 20
Adhesion, 139
Adhesion barrier, 470
Adhesion molecules, 366
Aerosol-gel deposition, 109
Albumin, 1
Alkali and heat treatment, 198
Alkaline phosphatase, 139
Alkaline treatment, 96
Aneurysms, 76
Anterior–posterior translation, 400
Anthraquinone dye, 531
Apatite, 172
Apatite cement, 311, 344
Apoptosis, 519
Arteriovenous malformations, 76
Arthroplasty, 591
Artificial bone implants, 567
Artificial nerve, 373
Associative alginate and hyaluronate, 102

Bioactive, 491
Bioactive glasses, 560
Bioactivity, 172, 454
Bioartificial liver, 519
Bioartificial pancreas, 396
Biocompatibility, 30, 122, 179, 360, 385, 436, 501
Biodegradable polymers, 284
Biodegradation, 1
Biomaterial, 139
Biomaterials, 172, 189, 294
Bioresorbable aliphatic polyesters, 335
Biphasic calcium phosphate, 129
Block copolymer, 470
Blood compatibility, 540
Bond strength, 96
Bone, 139, 284
Bone bonding, 619
Bone-derived cells, 567
Bone elasticity, 547
Bone morphogenetic protein, 129
Bone regeneration, 216
Bone-remodeling unit, 445
Bone substitute, 129
Bone substitution materials, 162
Bulk properties, 597

$CaO\text{-}SiO_2$, 608
$CaTiO_3$ particles, 525
Cadherin-5, 385
Calcium phosphate cement, 311, 344
Calcium phosphate ceramics, 554
Calcium phosphate layer, 454
Calcium phosphates, 247
Cancer, 360
Carbon particles, 567
Carbonate apatite, 311
Carbonated apatite, 162
Carboxymethyl chitin, 59
Cartilage replacement, 102
Cell adhesion, 149, 294
Cell-adhesion peptide, 272
Cell behavior, 47, 509
Cell culture, 189
Cell differentiation, 209
Cell motility, 149
Cell shape, 366
Cellulose, 436
Chemical interaction, 247
Chitin, 59
Chitin beads, 59
Chondrocytes, 47
Co-Cr-Mo implant alloy, 412
Coating dissolution, 480
Collagen, 122, 149, 305
Collagen glue, 305
Complement, 12
Compressive strength, 525
Contact angle, 47
Contact dermatitis, 531
Contact lenses, 597
Contractile force, 37
Controlled release, 1
Corrosion, 591
Corrosion in pores and corrosion products, 320
Costimulation, 328
Covalent immobilization, 509
Crosslinked dermal sheep collagen, 234
Crosslinking, 122
Crystallization, 360
Cyotkine, 139
Cytotoxicity, 59, 179, 360, 390

Degradability, 560
Degree of crystallinity, 256
Dental implant, 241
Dentinoenamel junction, 87
Dextran, 1
Diabetes, 396
Dialysis membrane, 436
Dimethyl 3,3′-dithio(bispropionimidate), 122
Dipyridamole, 224

EDAX, 480
ESCA, 480
Electrochemical impedance spectroscopy, 597
Electrodeposition, 96
Electrolytic Al_2O_3 coating, 412
Electron microscopy, 591
Endothelial cell, 366
Endothelial cells, 224, 385

FTIR, 480
Failure, 480
Fatigue, 419
Fibrin glue, 305
Fibroblasts, 509
Fibronectin, 241, 454, 509
Foreign-body reaction, 234
Freeze-dried alginate sponge, 373
Fructose-dendrimer, 519

γ irradiation, 428
Gelatin, 525
Gene therapy, 264
Glass, 491
Glass-ceramics, 360
Glass-reinforced hydroxyapatite composites, 463
Glasses, 608
Glucose oxidase, 69
Glucose sensor, 69
Glutaraldehyde, 122
Glutathione, 390
Gold-thiol chemistry, 272
Grit blasting, 20

HAP/TCP pellet, 129
HRP, 373
Hardness, fracture, 87
Heat-decompose, 531
Heat treatment, 579
Hepatocytes, 519
Hip prosthesis, 412
Histological studies, 463
Histomorphometry, 560
Human, 591
Hyaluronan, 115
Hydrogel, 1, 179
Hydrogels, 115
Hydrostatic pressure, 179
Hydroxyapatite, 96, 256, 284, 311, 344, 445, 480, 619
Hydroxyapatite particles, 525
Hydroxyapatite/type I collagen (HAp/Col) composite, 445
Hydroxypropylmethylcellulose, 247
Hyperthermia, 360

IFN-γ, 234
Immunohistochemistry, 373
Immunoisolation, 264, 436
Implantable, 69
Inflammatory cells, 69
Inflammatory response, 189, 328
in situ hybridization, 501
in situ polymerization, 115
Interfacial debonding, 419
in vitro apatite-forming ability, 109
in vitro bioactivity, 463, 579, 608
in vitro studies, 540
in vivo evaluation, 463
Islet, 436

LDH leakage, 390
Laser, 540
Laser confocal microscope, 1
Leucite, 351
Ligand density, 149

MA 956 alloy, 30
MDCK cells, 37
MRNA, 366
Macrophage, 501
Macrophage T-cell interactions, 328
Marrow-derived mesenchymal cells, 216
Maximization test, 531
Mechanical properties, 554
Mechanical property, 428, 491
Mechanism of solid state reaction, 320
Microcapsules, 396
Microcatheters, 76
Microstructure, 351
Mineralization, 547
Modulus, 87
Monocyte-derived macrophage, 189
Monocyte differentiation, 179
Mouse, 234
Multinucleated giant cells, 328
Mutagenicity, 179

$NaHCO_3$, 311
Nanoindentation, 547, 554
Nanomechanical properties, 87
Neutrophil, 189
New bone formation, 129
New glass–ceramic compositions, 320
Nonadhesive polymer, 76

Organic/inorganic composites, 247
Orthopedic, 428
Orthopedic and dental surgery, 567
Osmosis, 179
Osteoblast, 139, 284
Osteoblast differentiation, 501
Osteoblastic cells, 30
Osteoblasts, 162, 209
Osteocalcin, 547
Osteoclasts, 344
Osteoconductivity, 491
Osteogenesis, 619
Osteogenic cell line, 567
Osteoinduction, 619
Oxidative stress, 390
Oxidizing substrates, 69

P53, 385
PLLA, 470
PMMA, 491
Particles, 30
Periodontal ligament cell, 241
Peroxidases, 69
Phosphotyrosine, 385
Photocrosslinkable polysaccharides, 115
Plasma polymers, 597
Plasma spray, 480
Platelet adhesion, 540
Poly(ethylene-*co*-vinyl alcohol) (EVA), 241
Poly(ethylene glycol) and poly(butylene terepthalate) block copolymers, 47
Poly(lactic acid), 1
Poly (L-glutamic acid), 305
Poly-L-lysine, 264
Poly(*N*-isopropylacrylamide), 37
Polyether, 470
Polyethylene, 12
Polyethylene oxide, 509
Polyethylene terephthalate, 540
Polyethylene wear, 400
Polyglycolide, 162
Polylactide implants, 335
Polymer occlusion, 76
Polymethylmethacrylate, 419, 501
Polyurethane, 224
Porosity, 608
Porous, 198
Porous bioactive glass and glass–ceramic, 320
Porous calcium metaphosphate (CMP) matrix, 216
Porous ceramics, 407
Powder, 256
Predegradation, 234
Pressable dental ceramic, 351
Proliferation, 567
Protein adsorption, 454
Push-out test, 198
Push-out testing, 463

Reaction sintering under pressure, 320
Recombinant cell, 264
Recombinant human bone morphogenetic protein (rhBMP), 445
Regeneration of periodontium, 241
Replacement of bone defects, 407
Residual stress, 96
Resistance to infection, 335
Resorption, 344
Rheological properties, 102
Root canal sealer, 390
Rotation, 400

SEM-WDS, 554
Sanidine, 351
Scaffolding, 284
Scanning electron microscopy, 567
Segmental bone defects, 407
Serum, 69
Silane adhesion promoter, 419
Silica fibers, 579
Silk, 139
Simulator, 400
Sintering temperature, 256
Skeletal muscle cells, 47
Small-angle X-ray scattering, 547
Sol-gel, 560, 608
Sol-gel-derived, 579
Spinal cord regeneration, 373
Spinal fusion, 554
Stainless steel, 209
Staphylococus aureus, 335
Stepped shrinkage, 256
Surface charge, 454
Surface modification, 272
Surface properties, 480, 597
Surface roughness, 20, 567
Surface structure, 579
Suture, 531
Sutureless surgery, 115
Synovitis, 12

TAK-778, 619
TNF-α, 234
Temperature-responsive culture surfaces, 37
Thermal property, 428

Thermal treatment, 247
TiO_2 thin coatings, 109
Tissue engineering, 37, 162, 216, 284
Tissue expander, 179
Tissue transglutaminase, 294
Titanium, 172, 198, 209
Titanium hydride, 20
Titanium implants, 20
Topography, 149
Total joint arthroplasty, 12
Total joint replacement, 419
Total knee arthroplasty, 400
Transplantation, 216, 264, 396
Tricalcium phosphate cement, 525
Type I collagen, 241, 445

Ultrahigh molecular weight polyethylene, 428

Vascular endothelial cells, 272
Vascular prosthesis, 224
Viscosupplementation, 102

Water uptake, 59
Wear debris, 12
Wear particles, 328
Western blot, 385
Wound healing, 305

XRD, 480
X-ray diffraction, 351
X-ray microanalysis, 591
X-ray photoelectron spectroscopy, 109